

## What is the largest datalogging file I can store with the XE series oscilloscopes?

December 13, 2021

The SIGLENT SDS1104X-E and SDS1204X-E oscilloscopes have a data-logging feature that was added in [firmware revision 6.1.37R2 and OS Rev 2](#)

As of now, the maximum file storage size for a data logging event is 2 GB and the measurement logger is 14 Mpts. The USB stick must be as big, or bigger than 2 GB to reach this, of course. The logging process will terminate when this limit is reached.

Learn more by clicking on this [Datalogging Application Note](#)



### **North American Headquarters**

SIGLENT Technologies America, Inc  
6557 Cochran Rd Solon, Ohio 44139  
Tel: 440-398-5800  
Toll Free:877-515-5551  
Fax: 440-399-1211  
[info@siglent.com](mailto:info@siglent.com)  
[www.siglentamerica.com/](http://www.siglentamerica.com/)

### **European Sales Offices**

SIGLENT TECHNOLOGIES EUROPE GmbH  
Staetzlinger Str. 70  
86165 Augsburg, Germany  
Tel: +49(0)-821-666 0 111 0  
Fax: +49(0)-821-666 0 111 22  
[info-eu@siglent.com](mailto:info-eu@siglent.com)  
[www.siglenteu.com](http://www.siglenteu.com)

### **Asian Headquarters**

SIGLENT TECHNOLOGIES CO., LTD.  
Blog No.4 & No.5, Antongda Industrial Zone,  
3rd Liuxian Road, Bao'an District,  
Shenzhen, 518101, China.  
Tel:+ 86 755 3661 5186  
Fax:+ 86 755 3359 1582  
[sales@siglent.com](mailto:sales@siglent.com)  
[www.siglent.com/ens](http://www.siglent.com/ens)