

SSA3000X Tracking Generator Low Frequency Output Performance

October 25, 2017

The lowest output frequency for the tracking generator (SSA3000X-TG option) output on the SIGLENT SSA3000X series of spectrum analyzers is specified at 100 kHz with an output flatness of +/- 3 dBm.

The TG functions below this frequency, but the flatness and accuracy can vary significantly.

In this operating tip, we show some typical performance of the TG output below 100 kHz using an oscilloscope. The oscilloscope inputs were configured as 50 ohm terminations.

The SSA was configured for zero span, which locks the TG output frequency to the Center Frequency setting of the analyzer. Then, the Center Frequency was adjusted and the oscilloscope was used to capture the output.

NOTE: The screen captures are typical, but do not represent all SSA performance. This tip is provided to assist users that would like to use their TGs below the specified operating limits.

Below 100 kHz, the amplitude error and noise increase significantly. Be aware that the vertical scale in the figures are not all identical.




Figure 1: 0 dBm @ 100 kHz center frequency.




Figure 2: 0 dBm @ 50 kHz center frequency.




Figure 3: 0 dBm @ 25 kHz center frequency.




Figure 4: 0 dBm @ 100 kHz center frequency.




Figure 5: 0 dBm @ 100 kHz center frequency.



North American Headquarters

SIGLENT Technologies America, Inc
6557 Cochran Rd Solon, Ohio 44139
Tel: 440-398-5800
Toll Free: 877-515-5551
Fax: 440-399-1211
info@siglent.com
www.siglentamerica.com/

European Sales Offices

SIGLENT TECHNOLOGIES EUROPE GmbH
Staetzlinger Str. 70
86165 Augsburg, Germany
Tel: +49(0)-821-666 0 111 0
Fax: +49(0)-821-666 0 111 22
info-eu@siglent.com
www.siglenteu.com

Asian Headquarters

SIGLENT TECHNOLOGIES CO., LTD.
Blog No.4 & No.5, Antongda Industrial Zone,
3rd Liuxian Road, Bao'an District,
Shenzhen, 518101, China.
Tel: + 86 755 3661 5186
Fax: + 86 755 3359 1582
sales@siglent.com
www.siglent.com/ens